

TECHNICAL DATA REPORT

HS 0446

ACRYSEAL 18 **Poly-Acrylic Sealant for Old and New Floors**

DESCRIPTION:

ACRYSEAL 18 is a white, opaque liquid with a slight ammonia odour.

PURPOSE:

For worn-out areas of resilient tile where a long lasting and durable floor finish is required.

HOW TO USE:

Surface must be stripped and cleaned with **REFLOOR**, diluted 1 part to 6 - 8 parts warm water, and stripped with a stripping pad. Ensure that all dirt and old floor finishes have been properly removed. Rinse twice with clear water. Let the floor dry completely. Apply **ACRYSEAL 18** with either a string mop or a lambswool applicator, applying a very thin coat. Allow the first coat to dry for 1 hour (normal drying time is about 20 minutes). Apply a second coat in manner described above. Next apply two to three coats of **CIREX W-25** floor finish. Allow adequate drying time in between coats (20 minutes). Maintain by mopping, as required, with **NEUTRA CLEAN**. Use a dilution of one ounce per gallon of cold water. This will remove soil but leave a brilliant surface intact. Resurface worn, high traffic areas by spraying a solution of **CIREX W-25** mixed half and half with cold water and buff to restore original finish.

PRINCIPAL USERS:

Wherever durable surfaces are required on floors of rubber, vinyl, vinyl-asbestos, asphalt, etc.

ADVANTAGES:

- 1) Will last for a long period of time when applied and maintained as recommended.
- 2) Will save on floor finish by sealing porous floor surfaces.
- 3) Film is completely transparent, will not discolour floors.
- 4) Excellent levelling without streaking.
- 5) Biodegradable.

PRECAUTIONS:

Avoid contact with eyes, contains acrylic components. In case of contact with eyes, flush for 15 minutes with water and get medical attention. Can cause skin irritation, wear rubber gloves when handling undiluted material. Keep out of reach of children. Read Material Safety Data Sheet.

SPECIFICATIONS:

Colour White
Density 1.02
Odour Slight ammoniacal
Biodegradability Complete