

TECHNICAL DATA REPORT

HS 0268

FORMULA 268 Universal Aqueous Degreaser

DESCRIPTION:

Clear, buffered alkaline liquid concentrated degreaser, formulated without Butyl Cellosolve, with low foaming, low odour and free rinsing characteristics.

PURPOSE:

To remove a wide variety of soils and greases from porous and non-porous surfaces, such as walls, floors, painted surfaces, aluminium, stainless, vinyl, rubber, plastic and carpets.

HOW TO USE:

- 1) General cleaning of walls, floors, aluminium, stainless, leather, vinyl, galvanized, rubber, plastic, wood, concrete. Mix with normal tap water at from 1 part to 40.
- 2) Automatic carpet cleaning machines (steam cleaning extraction). Add 8 mL per Litre into mixing tank.
- 3) Spot remover for carpets. Add 1 part to 10 parts water, and pre-spray directly onto soiled surface.
- 4) Floor cleaning. Add 1 part to 40 parts water in bucket or pail.
- 5) Wax Stripping. Add 1 part to 10 parts water (HOT only), apply directly and rinse.
- 6) Kitchen hoods. Add from 1 part to 10 parts up to 1 part to 40 parts water, depending on the thickness of burned on protein on grills.
- 7) Power washers. Add 1 part to 160 parts water in the mixing tank.
- 8) Car cleanup. Add 1 part to 50 parts water to clean chrome, leather, vinyl, plastic, etc. Spray on and wipe off.
- 9) Windows, mirrors, etc.,. Add 1 part to 200 only parts water. (Use only this mix and there will be no film residue). Spray on and wipe of with clean cloth or paper towel.
- 10) Food plants, poultry, hogs, dairies, canneries, bakeries, hatcheries. Add 1 part to 40 parts to 160 parts water if used with a pressure washer and depending on surface, and contaminants to clean. Rinse with potable water.
- 11) Air conditioning filters. Add 1 part to 40 parts water in tank. Dip filters in tank for period of time, depending on the thickness of contaminants. Remove and rinse.

MAIN USERS:

Anyplace that has walls, floors, glass, stainless, aluminium doors, windows and carpets, such as cities, restaurants, hotels, motels, neon sign manufacturers, poultry plants, food plants, dairies, canners, cheese plants, hatcheries, bakeries, car dealers, equipment rentals, apartment and office buildings.

ADVANTAGES:

- 1) Economical in use dilution.
- 2) Safe on all paints where water can be used.
- 3) Will not streak in proper diluted use.
- 4) Wide range of use - one product for many uses.
- 5) Contains no Butyl Cellosolve.
- 6) Easy to rinse or wipe off.
- 7) Can be used with cold water.
- 8) Use on a wide variety of surfaces to remove a wide variety of soils.
- 9) Biodegradable.
- 10) Approved for Food Plant Use, file # M375 c1.
- 11) Conforms to specification CGSB-2.107-92.

TECHNICAL DATA REPORT

PRECAUTIONS:

Avoid contact with eyes, contains mildly alkaline detergents. In case of contact with eyes, flush for 15 minutes with water and get medical attention. Can cause skin irritation, wear rubber gloves when handling undiluted material. Keep out of reach of children.
Read Material Safety Data Sheet.

SPECIFICATIONS:

Physical form	Clear colourless liquid
Density at 25°C	1.131
pH (concentrate)	12.3 - 12.4
pH (10% solution)	11.7 - 11.8
pH (1% solution)	10.4 - 10.5
Foaming	Very low
Solubility	Complete in hard or soft water
Rinsability	Excellent
Biodegradable	Yes